

| SELECTED NATALITY VITAL STATISTICS BY RACE, GEORGIA, 1998 | | | | | | | |
|-----------------------------------------------------------|-------------------------------------------------|--------------------|-----------|---------|-------------------|-------|-------|
| Item | Georgia Total | | | | | | |
| | | Number | | | Rate ¹ | | |
| | | Total ² | White | Black | Total | White | Black |
| Female Population (Ages 15-44 Years) ³ | | 1,820,738 | 1,191,146 | 583,476 | | | |
| Live Births | (All Ages) | 122,366 | 78,167 | 41,274 | ^16.0 | ^14.8 | ^18.9 |
| | 10 - 14 | 455 | 121 | 331 | 1.7 | 0.7 | 3.5 |
| | 15 - 17 | 6,576 | 3,128 | 3,392 | 40.3 | 30.7 | 59.4 |
| | 18 - 19 | 11,290 | 6,112 | 5,100 | 102.6 | 90.9 | 126.2 |
| Age of Mother | 20 - 24 | 32,544 | 19,025 | 13,027 | 124.2 | 114.6 | 145.9 |
| | 25 - 29 | 33,096 | 22,594 | 9,503 | 113.0 | 118.0 | 102.6 |
| | 30 - 34 | 25,165 | 18,022 | 6,298 | 77.5 | 84.9 | 60.4 |
| | 35 - 39 | 11,218 | 7,775 | 3,067 | 32.3 | 33.4 | 29.0 |
| | 40 - 44 | 1,937 | 1,330 | 540 | 6.0 | 6.1 | 5.7 |
| | Age-specific rates per 1,000 women in age group | 45 - 50 | 85 | 60 | 16 | 0.3 | 0.3 |
| Births to Unwed Mothers | (All Ages) | 44,248 | 16,199 | 27,678 | 36.2 | 20.7 | 67.1 |
| | 10 - 14 | 425 | 92 | 331 | 93.4 | 76.0 | 100.0 |
| | 15 - 17 | 5,565 | 2,164 | 3,356 | 84.6 | 69.2 | 98.9 |
| | 18 - 19 | 8,218 | 3,340 | 4,830 | 72.8 | 54.6 | 94.7 |
| Age of Mother | 20 - 24 | 16,416 | 5,781 | 10,510 | 50.4 | 30.4 | 80.7 |
| | 25 - 29 | 7,952 | 2,864 | 5,000 | 24.0 | 12.7 | 52.6 |
| | 30 - 34 | 3,666 | 1,271 | 2,359 | 14.6 | 7.1 | 37.5 |
| | 35 - 39 | 1,661 | 548 | 1,091 | 14.8 | 7.0 | 35.6 |
| | 40 - 44 | 330 | 130 | 196 | 17.0 | 9.8 | 36.3 |
| | All rates per 100 women in age group | 45 - 50 | 15 | 9 | 5 | 17.6 | 15.0 |
| Birth Weight (grams) | < 500 | 271 | 109 | 158 | 0.2 | 0.1 | 0.4 |
| | 500 - 1,499 | 1,919 | 798 | 1,099 | 1.6 | 1.0 | 2.7 |
| | 1,500 - 2,499 | 8,303 | 4,129 | 4,000 | 6.8 | 5.3 | 9.7 |
| | 2,500 - 3,999 | 100,741 | 64,216 | 33,966 | 82.3 | 82.2 | 82.3 |
| All rates per 100 live births | >= 4,000 | 11,132 | 8,915 | 2,051 | 9.1 | 11.4 | 5.0 |
| Out of Hospital Births | All rates per 100 live births | 542 | 325 | 211 | 0.4 | 0.4 | 0.5 |
| Spontaneous Abortions ⁴ | (All Ages) | 1,108 | 481 | 617 | 9.0 | 6.1 | 14.9 |
| | 10 - 14 | 9 | 1 | 8 | 19.4 | * | 23.6 |
| | 15 - 17 | 81 | 28 | 53 | 12.2 | 8.9 | 15.4 |
| | 18 - 19 | 115 | 47 | 68 | 10.1 | 7.6 | 13.2 |
| Age of Woman | 20 - 24 | 292 | 112 | 179 | 8.9 | 5.9 | 13.6 |
| | 25 - 29 | 285 | 133 | 149 | 8.5 | 5.9 | 15.4 |
| | 30 - 34 | 199 | 102 | 95 | 7.8 | 5.6 | 14.9 |
| | 35 - 39 | 104 | 43 | 57 | 9.2 | 5.5 | 18.2 |
| | 40 - 44 | 22 | 15 | 7 | 11.2 | 11.2 | 12.8 |
| | All rates per 1,000 women in age group | 45 - 50 | 1 | 0 | 1 | * | 0.0 |
| Induced Terminations of Pregnancy | (All Ages) | 29,238 | 12,404 | 15,925 | 16.1 | 10.4 | 27.3 |
| | 10 - 14 | 243 | 73 | 169 | 0.9 | 0.4 | 1.8 |
| | 15 - 17 | 1,926 | 889 | 1,000 | 11.8 | 8.7 | 17.5 |
| | 18 - 19 | 3,084 | 1,327 | 1,677 | 28.0 | 19.7 | 41.5 |
| Age of Woman | 20 - 24 | 8,941 | 3,665 | 5,071 | 34.1 | 22.1 | 56.8 |
| | 25 - 29 | 7,722 | 3,162 | 4,327 | 26.4 | 16.5 | 46.7 |
| | 30 - 34 | 4,352 | 1,730 | 2,416 | 13.4 | 8.2 | 23.2 |
| | 35 - 39 | 2,336 | 1,182 | 1,043 | 6.7 | 5.1 | 9.9 |
| | 40 - 44 | 599 | 352 | 214 | 1.9 | 1.6 | 2.3 |
| | All rates per 1,000 women in age group | 45 - 50 | 35 | 24 | 8 | 0.1 | 0.1 |

1 Asterisks are shown instead of a rate when the number of events is greater than 0 and less than 5.

2 Total = White, Black and Other

3 All populations from the U.S. Bureau of Census

4 >=20 weeks of gestation. See Vital Stats Formula page for change in definition.

^ Crude Birth Rates (All Ages) per 1,000 total population

| SELECTED MORTALITY VITAL STATISTICS BY RACE, GEORGIA, 1998 | | | | | | |
|------------------------------------------------------------------|------------------|------------------|------------------|-------------------|------------|------------|
| Item | GEORGIA | | | | | |
| | Number | | | Rate ¹ | | |
| | Total | White | Black | Total | White | Black |
| Cause-specific rates per 100,000 pop unless noted | | | | | | |
| TOTAL POPULATION | 7,642,207 | 5,293,152 | 2,181,454 | | | |
| TOTAL DEATHS | 60,262 | 43,752 | 16,369 | 7.9 | 8.3 | 7.5 |
| Lifestages | | | | | | |
| Infancy (under 1) ² | 1,035 | 473 | 557 | 8.5 | 6.1 | 13.5 |
| Neonatal ² | 708 | 314 | 392 | 5.8 | 4.0 | 9.5 |
| Post-Neonatal ² | 327 | 159 | 165 | 2.7 | 2.0 | 4.0 |
| Early Childhood (1-4) | 184 | 98 | 84 | 40.7 | 33.6 | 56.2 |
| Later Childhood (5-9) | 122 | 55 | 66 | 21.4 | 15.4 | 32.7 |
| Early Adolescence (10-14) | 137 | 80 | 57 | 25.0 | 23.1 | 30.1 |
| Later Adolescence (15-19) | 425 | 273 | 149 | 75.5 | 77.2 | 76.1 |
| Young Adulthood (20-44) | 5,155 | 2,846 | 2,294 | 169.0 | 137.3 | 254.7 |
| Middle Adulthood (45-64) | 12,245 | 7,987 | 4,216 | 771.1 | 665.5 | 1,179.3 |
| Later Adulthood (65+) | 40,955 | 31,938 | 8,944 | 5,355.7 | 4,176.6 | 1,169.6 |
| Cause of Death | | | | | | |
| Infectious and Parasitic Diseases (001-139) | 1,952 | 941 | 1,009 | 25.5 | 17.8 | 46.3 |
| Septicemia (038) | 889 | 561 | 328 | 11.6 | 10.6 | 15.0 |
| HIV Infection (042-044) | 691 | 173 | 518 | 9.0 | 3.3 | 23.7 |
| Neoplasms (140-239) | 13,313 | 9,949 | 3,326 | 174.2 | 188.0 | 152.5 |
| Malignant neoplasms (140-208) | 13,094 | 9,786 | 3,270 | 171.3 | 184.9 | 149.9 |
| Stomach (151) | 302 | 180 | 118 | 4.0 | 3.4 | 5.4 |
| Colon (153) | 956 | 670 | 285 | 12.5 | 12.7 | 13.1 |
| Pancreas (157) | 600 | 430 | 167 | 7.9 | 8.1 | 7.7 |
| Trachea, Bronchus and Lung (162) | 3,969 | 3,154 | 804 | 51.9 | 59.6 | 36.9 |
| Breast (174-175) | 1,036 | 707 | 329 | 13.6 | 13.4 | 15.1 |
| Ovary (183) | 302 | 253 | 49 | 7.7 | 9.5 | 4.2 |
| Prostate (185) | 801 | 485 | 315 | 21.5 | 18.5 | 30.9 |
| Leukemia (204-208) | 457 | 363 | 92 | 6.0 | 6.9 | 4.2 |
| All Other Malignant Sites | 4,671 | 3,544 | 1,111 | 61.1 | 67.0 | 50.9 |
| Diabetes Mellitus (250) | 1,382 | 884 | 496 | 18.1 | 16.7 | 22.7 |
| Anemias (280-285) | 118 | 68 | 49 | 1.5 | 1.3 | 2.2 |
| Sickle Cell Trait and Disease (282.5-282.6) | 16 | 0 | 16 | 0.2 | 0.0 | 0.7 |
| Mental Disorders (290-319) | 1,305 | 972 | 331 | 17.1 | 18.4 | 15.2 |
| Diseases of the Nervous System and Sense Organs (320-389) | 1,370 | 1,105 | 262 | 17.9 | 20.9 | 12.0 |
| Alzheimers Disease (331.0) | 599 | 518 | 81 | 7.8 | 9.8 | 3.7 |
| Parkinsons Disease (332) | 242 | 215 | 27 | 3.2 | 4.1 | 1.2 |
| Multiple Sclerosis (340) | 48 | 33 | 15 | 0.6 | 0.6 | 0.7 |
| Cardiovascular Disease (390-448) | 23,639 | 17,412 | 6,177 | 309.3 | 329.0 | 283.2 |
| Hypertensive Heart Disease (402) | 759 | 352 | 405 | 9.9 | 6.7 | 18.6 |
| Ischemic Heart Disease (410-414) | 9,233 | 7,233 | 1,973 | 120.8 | 136.6 | 90.4 |
| Heart Attack-AMI- (410) | 4,820 | 3,709 | 1,089 | 63.1 | 70.1 | 49.9 |
| Other Forms of Heart Disease (420-429) | 7,430 | 5,397 | 2,025 | 97.2 | 102.0 | 92.8 |

1 Asterisks are shown instead of a rate when the number of events is greater than 0 and less than 5

2 Per 1,000 Live Births

| SELECTED MORTALITY VITAL STATISTICS BY RACE, GEORGIA, 1998 CONTINUED | | | | | | |
|------------------------------------------------------------------------------------------|---------|-------|-------|-------------------|-------|-------|
| Item <small>Cause-specific rates per 100,000 pop unless noted</small> | GEORGIA | | | | | |
| | Number | | | Rate ¹ | | |
| | Total | White | Black | Total | White | Black |
| Cause of Death (Continued) | | | | | | |
| Cerebrovascular Disease-Stroke- (430-438) | 4,153 | 2,973 | 1,169 | 54.3 | 56.2 | 53.6 |
| Diseases of the Arteries and Capillaries (440-448) | 1,096 | 880 | 215 | 14.3 | 16.6 | 9.9 |
| Phlebitis (451) | 23 | 15 | 8 | 0.3 | 0.3 | 0.4 |
| Diseases of the Respiratory System (460-519) | 5,953 | 4,898 | 1,045 | 77.9 | 92.5 | 47.9 |
| Influenza and Pneumonia (480-487) | 2,258 | 1,771 | 482 | 29.5 | 33.5 | 22.1 |
| Chronic Obstructive Pulmonary Disease (490-496) | 2,742 | 2,364 | 373 | 35.9 | 44.7 | 17.1 |
| Bronchitis, Chronic and Unspecified (490-491) | 67 | 58 | 9 | 0.9 | 1.1 | 0.4 |
| Emphysema (492) | 501 | 469 | 31 | 6.6 | 8.9 | 1.4 |
| Asthma (493) | 134 | 67 | 67 | 1.8 | 1.3 | 3.1 |
| Diseases of the Digestive System (520-579) | 2,065 | 1,525 | 537 | 27.0 | 28.8 | 24.6 |
| Chronic Liver Disease & Cirrhosis (571) | 576 | 445 | 129 | 7.5 | 8.4 | 5.9 |
| Diseases of the Urinary Tract (580-599) | 1,435 | 862 | 571 | 18.8 | 16.3 | 26.2 |
| Diseases of the Genital Tract (600-629) | 26 | 16 | 10 | 0.3 | 0.3 | 0.5 |
| Complications of Pregnancy, Childbirth & Puerperium (630-676)³ | 9 | 4 | 5 | 7.4 | * | 12.1 |
| Diseases of the Musculoskeletal System (710-739) | 264 | 179 | 84 | 3.5 | 3.4 | 3.9 |
| Lupus Erythematosus (710) | 81 | 37 | 44 | 1.1 | 0.7 | 2.0 |
| Congenital Anomalies (740-759) | 336 | 203 | 131 | 4.4 | 3.8 | 6.0 |
| Conditions Originating in the Perinatal Period (760-779) | 513 | 200 | 312 | 6.7 | 3.8 | 14.3 |
| Short Gestation and Low Birth Weight (765) | 170 | 63 | 107 | 2.2 | 1.2 | 4.9 |
| SIDS (798.0)² | 102 | 50 | 52 | 0.8 | 0.6 | 1.3 |
| Injury and Poisoning (E800-E999) | 4,683 | 3,241 | 1,423 | 61.3 | 61.2 | 65.2 |
| Motor Vehicle Accidents (E810-E825) | 1,616 | 1,152 | 458 | 21.1 | 21.8 | 21.0 |
| Water Accidents (E830-E838) | 16 | 12 | 4 | 0.2 | 0.2 | * |
| Poisonings (E850-E869) | 221 | 153 | 67 | 2.9 | 2.9 | 3.1 |
| Falls (E880-E888) | 458 | 390 | 67 | 6.0 | 7.4 | 3.1 |
| Fires (E890-E899) | 126 | 70 | 56 | 1.6 | 1.3 | 2.6 |
| Drowning (E910) | 119 | 63 | 55 | 1.6 | 1.2 | 2.5 |
| Machinery Accidents (E919) | 31 | 27 | 4 | 0.4 | 0.5 | * |
| Firearms (E922) | 30 | 20 | 10 | 0.4 | 0.4 | 0.5 |
| Suicides (E950-E959) | 823 | 719 | 101 | 10.8 | 13.6 | 4.6 |
| Homicides (E960-E969) | 663 | 234 | 426 | 8.7 | 4.4 | 19.5 |
| Legal Intervention (E970-E978) | 5 | 3 | 2 | 0.1 | * | * |
| All Other Accidents (excluding those above) | 575 | 398 | 173 | 7.5 | 7.5 | 7.9 |

1 Asterisks are shown instead of a rate when the number of events is greater than 0 and less than 5

2 Per 1,000 Live Births

3 Per 100,000 Live Births